

Part No.	Description	Jaw Adjustment	Jaw Depth
006R	6" C-Clamp w/ Regular Tips	0-2"	1 1/2"
09DR	9" C-Clamp w/ Ext. Throat RT	0-4 1/2"	4 3/4"
011R	11" C-Clamp w/ Regular Tips	0-4"	2 5/8"
18DR	18" C-Clamp w/ Ext. Throat RT	0-7 1/2"	9 1/2"
018R	18" C-Clamp w/ Regular Tips	0-8"	9 1/2"
024R	24" C-Clamp w/ Regular Tips	0-12 1/2"	15 1/2"
04SP	4" C-Clamp w/ Swivel Pads	0-1 5/8"	1 1/4"
06SP	6" C-Clamp w/ Swivel Pads	0-2 1/8"	1 1/2"
09SP	9" C-Clamp w/ Swivel Pads	0-4 1/2"	4 3/4"
11SP	11" C-Clamp w/ Swivel Pads	0-3 7/8"	2 5/8"
18SP	18" C-Clamp w/ Swivel Pads	0-8"	9 1/2"
24SP	24" C-Clamp w/ Swivel Pads	0-10"	15 1/2"
11HD	11" Hold Down Clamp	0-3 3/4"	2 1/2"

WISE-GRIP®



Part No. 011R

Locking C-Clamps

Adjustment for quick pre-adjusting and repeat clamping. Locks to work with hand squeeze. Easy-release trigger.

Part No.	Description	Wire Cutter	Jaw Adjustment		Jaw Thickness	
			Tip	Base	Tip	Base
4WR-3	4" Curved Jaws	Yes	0-1 5/16"		7/32"	
5WR-3	5" Curved Jaws	Yes	0-1 1/4"		1/4"	
7WR-3	7" Curved Jaws	Yes	0-1 5/8"		5/16"	
10WR-3	10" Curved Jaws	Yes	0-1 7/8"		7/16"	
7R-3	7" Straight Jaws	No	0-1 1/8"		1/2"	
10R-3	10" Straight Jaws	No	0-1 5/8"		5/8"	
7CR-3	7" Curved Jaws	No	0-1 5/8"		5/16"	
10CR-3	10" Curved Jaws	No	0-1 7/8"		7/16"	
4LN-3	4" Long Nose	Yes	0-1 5/8"	0-1 1/16"	1/8"	1/4"
6LN-3	6" Long Nose	Yes	0-2 1/4"	0-1 5/16"	5/32"	5/16"
9LN-3	9" Long Nose	Yes	0-2 7/8"	0-1 5/16"	3/16"	13/32"

WISE-GRIP®



Part No. 10WR-3

Curved Jaw Locking Pliers with Wire Cutter

The wire cutter will handle anything up to 1/4" bolt. One bite cuts smaller wires; progressive bites cut through the big ones. Heat treated for maximum toughness and durability. Available in 4", 5", 7", and 10".



Part No. 9LN-3

Long Nose Locking Pliers with Wire Cutter

Long nose jaws reach into tight spots where other tools can't. Built-in wire cutter. Adjusts easily for proper locking pressure. Available in 4", 6" and 9".



Part No. 10R-3

Straight Jaw Locking Pliers

Modern version of the original VISE-GRIP locking pliers/wrench. Built rugged. VISE-GRIP tools lock instantly, release quickly and adjust to pliers action. Available in 7" and 10".



Part No. 07LW

WISE-GRIP®

Locking Wrenches

Heavy-duty jaw will twist faster before breaking. Jaws lock onto three sides which will not slip or mar. Adjustable to over 16 wrench sizes and jaw tips knurled for gripping. Adjusting screw for changing size and pressure. Guarded release trigger for quick opening. High grade steel construction for maximum toughness and durability.

Part No.	Description	Wrench Size Range
04LW	4" Locking Wrench w/ Wire Cutter	1/4" - 9/16"
07LW	7" Locking Wrench w/ Wire Cutter	7/16" - 3/4"
10LW	10" Locking Wrench w/ Wire Cutter	5/8" - 1 1/8"

Vise-Grip & Prosnip

WISE-GRIP®

SPECIALTY TOOLS



Part No. 12LC-3

Large Jaw Locking Pliers

The unique jaw shape opens to 3-1/8", large enough to handle most situations requiring a large wrench.



Part No. 020R

Locking Chain Clamp

Holds and locks around any size or shape that the chain can be wrapped around. Adjusts to ratchet action in either direction.



Part No. 008R

Locking Sheet Metal Tool

Locks to work with powerful grip for smooth and accurate bending and seaming. Adjusting screw and easy release trigger.

Part No.	Description	Jaw Width Or Jaw Adjustment	Throat Depth
06LC	6" Large Locking Plier	0-2"	
12LC-3	12" Large Locking Plier	0-3 1/8"	
020R	9" Locking Chain Clamp		
20EXT	18" Extension Chain		
20REP	18" Replacement Chain		
310S	10" Locking Bar Clamp	0-10"	2 1/2"
008R	8" Sheet Metal Tool	0-3 1/8"	1 3/4"
09AC	9" Locking Panel Clamp	0-3/8"	
009R	9" Locking Welding Clamp	0-2 3/4"	1 5/8"
00RR	7" Pinch Off Tool	0-1/4"	1"



Part No. 009R

Locking Welding Clamp

Holds parts in proper alignment-even when the material is not identical in thickness. Positive lock leaves hands free.

WISE-GRIP®

Replacement Hardware

Part No.	Springs	Screws
010R, 10WR, 10CR	0008	0007
020R, 310S	0008	0007
007R, 07WR, 07CR, 09LN	0022	0021
008R, 009R, 00RR, 07LW	0022	0021
011R, 11SP, 11HD, 12LC, 10LW	0008	0007
05WR, 06LN, 06BN	0052	0051
006R, 06SP,	0052	0051
04WR, 04LN, 04SP, 04LW	0092	0091
018R, 18SP	0034	0007
024R, 24SP	0137	0007

Displays

Carded Locking Plier Display

Part No. 009AT

Contains one each: 010R, 007R, 10WR, 07WR, 05WR, 04WR, 10CR, 07CR, 06LN, 09LN, 04LN, 06BN and 12LC-3 Locking Pliers.

Weight: 12 lbs.

Locking Pliers Display

Part No. 012AT

Contains five each: 10WR, 010R, 07WR, and 06LN Locking Pliers.

Weight: 17 lbs., 11 oz.

Locking Pliers Display

Part No. 013AT

Contains one each: 06LN, 07CR, 12LC-3, 10CR, 05WR, 07WR, 10WR, 007R and 010R Locking Pliers.

Weight: 10 lbs., 11 oz.

Locking Clamp Display

Part No. 014AT

Contains two each: 011R and 006R
Contains one each: 11SP, 06SP, 008R, 009R, 018R, and 5906

Prosnip®

Part No.	Cuts	Size
0101	Aviation Snip Left & Straight	10"
0102	Aviation Snip Right & Straight	10"
0103	Aviation Snip Straight & Wide Curves	10"
0104	Utility Snip Straight & Curves	10"
20SL	Offset Snip Left & Straight	9 1/2"
20SR	Offset Snip Right & Straight	9 1/2"



Part No. 0103

Aviation Snips

Hot drop forged chromium steel blades. Serrated blade for positive bite. Designed for rapid outside trim and clean cuts.



Part No. 20SL

Offset Snips

Keeps hands safely above work on long inside cuts. Forged molybdenum steel blades. Exclusive pinch-point wire cutter. Cuts up to 1.245mm/18 gauge mild metal. Serrated blade for positive bite.

QUICK-GRIP®

Bar Clamps

Soft but durable pads prevent marring of work. Quick release trigger and pistol grip action adjusts and tightens with just one hand.

Part No.	Weight	Jaw Adjustment	Throat Depth
0506	1 lb, 8 oz	0-6"	3-1/4"
0512	1 lb, 14.4 oz	0-12"	3-1/4"
0518	2 lbs, 1.6 oz	0-18"	3-1/4"
0524	2 lbs, 8 oz	0-24"	3-1/4"
0536	3 lbs, 1.6 oz	0-36"	3-1/4"



QUICK-GRIP® Advantage Power Clamp

- Removable, non-marring soft pads.
- Heat treated metal body for strength.
- Twin start rooled Acme screw for smooth positive action, superior clamping strength and fine adjustments.
- Swivel head/serrated jaw.

Part No.	Jaw Adjustment	Throat Depth
5906ADV	6"	1-1/2"
5912ADV	12"	1-1/2"
5924ADV	24"	1-1/2"



Part No. 5906

QUICK-GRIP®

Welding Clamp

Clamp anything that needs to be clamped, faster and easier. Handle and jaws engineered for strength and are lightweight. High carbon treated steel bar and pads. Slides, adjusts and clamps.

Part No.	Weight	Jaw Adjustment	Throat Depth
5906	2 lbs, 2.5 oz	0-6"	3-1/4"
5918	3.2 lbs	0-18"	3-1/4"

QUICK-GRIP®

Handi-Clamp

- Jaws designed to reach around odd shapes.
- Non-marring swivel pads.
- Simple squeeze controls pressure.
- High tech resin.
- Quick release handle.
- One handed operation.
- 12 percounter display.



Part No.	Throat Depth	Weight
59200CD	2"	.53 lb



CHESCO®

Fold-Up Hex Key Sets

Part No. 88095



METAL FOLD-UP SETS Precision heat-treated, hardened and tempered to assure maximum strength throughout. Premium grade alloy steel.

RESIN FOLD-UP SETS Rust resistant black oxide keys are accessible from both sides of the case.

Part No.	Standard Type Case Size	Key Size
88051	Metal Inch X-Large	3/16, 7/32, 1/4, 5/16, 3/8
88081	Metal Inch Small	.050, 1/16, 5/64, 3/32, 7/64, 1/8, 9/64, 5/32
88091	Metal Inch Large	5/64, 3/32, 7/64, 1/8, 9/64, 5/32, 3/16, 7/32, 1/4
88095	Metal Inch Medium	.050, 1/16, 5/64, 3/32, 7/64, 1/8, 9/64, 5/32, 3/16
98051	Resin Inch X-Large	3/16, 7/32, 1/4, 5/16, 3/8
98091	Resin Inch Large	5/64, 3/32, 7/64, 1/8, 9/64, 5/32, 3/16, 7/32, 1/4
98095	Resin Inch Medium	.050, 1/16, 5/64, 3/32, 7/64, 1/8, 9/64, 5/32, 3/16

Unibit®



Part No. UNIBIT 3

Step Drills

Self Starting, Multiple Hole Sizes

Exclusive single radial concave flute design allows the drilling of perfectly round holes in thin materials. Constructed of industrial grade high-speed molybdenum steel, heat treated to a hardness of between 61 and 63 on the Rockwell C scale assures maximum strength and long life. Self starting tips won't skid like standard twist drill bits. Bits laser marked.

Part No. 0502 - Three piece Unibit set

Contains one each Unibit 1, Unibit 2, Unibit 3.

Part No.	No. of Holes	Hole Sizes	Shank Size	Step Thickness
UNIBIT 1	13	1/8"-1/2"	1/4"	1/8"
UNIBIT 10	1	1/2"	1/4"	
UNIBIT 11	1	7/8"	3/8"	
UNIBIT 13	1	1-1/8"	1/2"	
UNIBIT 2	6	3/16"-1/2"	1/4"	3/8"
UNIBIT 20	8	9/16"-1"	1/2"	1/8"
UNIBIT 3	9	1/4"-3/4"	3/8"	1/8"
UNIBIT 4	12	3/16"-7/8"	3/8"	1/8"